



NetBurner's uC/OS RTOS Library

**Revision 1.3
May 27, 2008
Released**

Table of Contents

1. Introduction	4
2. Functions	4
2.1. OSTaskCreate.....	7
2.2. OSSimpleTaskCreate (MACRO).....	9
2.3. OSTaskDelete	10
2.4. OSChangePrio.....	11
2.5. OSTimeDly	12
2.6. OSChangeTaskDly	13
2.7. OSLock.....	14
2.8. OSUnlock.....	15
2.9. OSLockObj.....	16
2.10. OSSemInit.....	17
2.11. OSSemPost	18
2.12. OSSemPend	19
2.13. OSSemPendNoWait	20
2.14. OSMboxInit	21
2.15. OSMboxPost.....	22
2.16. OSMboxPend.....	23
2.17. OSMboxPendNoWait	24
2.18. OSQInit.....	25
2.19. OSQPost	26
2.20. OSQPend	27
2.21. OSQPendNoWait.....	28
2.22. OSFifoInit.....	29
2.23. OSFifoPost.....	31
2.24. OSFifoPostFirst.....	32
2.25. OSFifoPend.....	33
2.26. OSFifoPendNoWait	34
2.27. OSCritInit	35
2.28. OSCritEnter	36
2.29. OSCritEnterNoWait	37
2.30. OSCritLeave.....	38
2.31. Examples	39
2.31.1. Example # 1	39
2.31.2. Example # 2	40
2.32. OSIntEnter	41
2.33. OSIntExit.....	42

2.34.	USER_ENTER_CRITICAL	43
2.35.	USER_EXIT_CRITICAL	44
2.36.	OSDumpTCBStacks	45
2.37.	OSDumpTasks.....	46
2.38.	OSFlagCreate	47
2.39.	OSFlagSet.....	48
2.40.	OSFlagState.....	49
2.41.	OSFlagClear.....	50
2.42.	OSFlagPendAll	51
2.43.	OSFlagPendNoWait	52
2.44.	OSFlagPendAny	53
2.45.	OSFlagPendAnyNoWait.....	54

1. Introduction

The NetBurner uC/OS RTOS is a preemptive multitasking real-time operating system designed to be very efficient and full featured, providing rapid real-time response and a small footprint. You can easily create and manage multiple tasks and communicate between tasks. The RTOS is integrated with the I/O system to make communication with the other system components, such as the TCP/IP Stack (**not** applicable for the **non-network** platforms such as the Mod5213), quick and easy.

Required Header Files

```
#include <ucos.h>      // Found in C:\Nburn\include
#include <ucos.h>      // For Mod5213 - found in C:\Nburn\include_nn
```

Note: The C:\Nburn\include_nn directory is valid for **all** NetBurner **non-network** platforms.

2. Functions

Task Functions

- OSTaskCreate --- Creates a new task
- OSSimpleTaskCreate --- A macro that sets up the stack and starts the task at the proper priority
- OSTaskDelete --- Deletes a task
- OSChangePrio --- Changes a tasks priority

Time Delay Functions

- OSTimeDly --- Delay or sleep for a fixed interval
- OSChangeTaskDly --- Changes the interval for a waiting task

Task Locking Routines

- OSLock --- Locks the OS and prevents task switches
- OSUnlock --- Unlocks the OS
- OSLockObj --- A C++ class to make task locking easy

Semaphore Routines

- OSSemInit --- Initializes an OS_SEM structure
- OSSemPost --- Post to a semaphore
- OSSemPend --- Pend on a semaphore
- OSSemPendNoWait --- Pend on a semaphore without waiting

Mail Box Routines

- OSMboxInit --- Initializes an OS_MBOX structure
- OSMboxPost --- Post to a mailbox
- OSMboxPend --- Pend on a mailbox
- OSMboxPendNoWait --- Pend on a mailbox without waiting

Queue Routines

- OSQInit --- Initializes an OS_QUEUE structure
- OSQPost --- Post to a queue
- OSQPend --- Pend on a queue
- OSQPendNoWait --- Pend on a queue without waiting

FIFO Routines

- OSFifoInit --- Initializes an OS_FIFO structure
- OSFifoPost --- Post to a fifo
- OSFifoPostFirst --- Post to the head of a fifo
- OSFifoPend --- Pend on a fifo
- OSFifoPendNoWait --- Pend on a fifo without waiting

OS Critical Routines

The OS_CRIT and related functions implement an OS function referred to as a mutex or counted critical section. Their purpose is to provide a mechanism to protect critical data with a structure or resource. Some examples of its use would be to protect the data in a linked list, or to control an external command interface. You will want to use this kind of critical section when you need to keep one task from interrupting another task when doing manipulations in a set.

- OSCritInit --- Initializes the critical section
- OSCritEnter --- Tries to enter or claim the critical section
- OSCritEnterNoWait --- Tries to enter or claim the critical section without waiting
- OSCritLeave --- Releases the critical section
- Two Examples

Interrupt Routines

OSIntEnter and **OSIntExit** are taken care of in the **INTERRUPT Macro** for **all** NetBurner Platforms. For more information, please read the Interrupts section in NetBurner Runtime Libraries User's Manual (in **C:\Nburn\docs\NetBurnerRuntimeLibrary**).

- OSIntEnter --- Must be called when a user interrupt is entered
- OSIntExit --- Must be called when a user interrupt is exited

User Critical Routines

These function like a level 7 interrupt. **Important:** You will have full processor time once you enter the section, but **all** uC/OS functions and features **will** be disabled **until** you exit the section. All hardware peripherals interrupts will also be disabled.

- USER_ENTER_CRITICAL --- Sets a level 7 interrupt mask when entered
- USER_EXIT_CRITICAL --- Sets the interrupt mask to the value before critical section was entered

Debugging Routines

The debugging routines are only **valid** when **UCOS_STACK_CHECK** is **defined**.

- OSDumpTCBStacks --- Dumps all of the task stack information to stdout
- OSDumpTasks --- Dumps all of the task info to stdout

Flag Functions

- OSFlagCreate ---Creates and initializes an OS_FLAGS object
- OSFlagSet --- Sets the bits asserted bits_to_set
- OSFlagState ---Returns the current value of flags
- OSFlagClear --- Clears the bits asserted in bits_to_clr
- OSFlagPendAll ---- Waits until all of the flags indicated by mask are set
- OSFlagPendNoWait --- Checks (but does not wait) if all of the flags indicated by the mask are set
- OSFlagPendAny --- Waits until any of the flags indicated by the mask are set
- OSFlagPendAnyNoWait ---Checks (but does not wait) if any of the flags indicated by the mask are set

2.1. OSTaskCreate

Synopsis:

```
BYTE OSTaskCreate( void ( * task )( void * taskfunc ), void * data,
void * pstacktop, void * pstackbot, BYTE priority );
```

Description:

This function creates a new task. You **must** supply storage for the stack that this new task will use. **Note:** The stack **must** be 4 byte aligned.

Warning: The uC/OS can only have one task at each priority.

Parameters:

Type	Description
taskfunc	The address of the function where this task will start executing.
data	The data to pass to the task function.
pstacktop	The highest address of the stack space.
pstackbot	The lowest address of the stack space.
priority	The priority for this new task (63 is lowest priority and 1 is highest). Look in C:\Nburn\include\constants.h to see which priorities are used by the OS. For non-network platforms (e.g. Mod5213) , look in C:\Nburn\include_nn\constants.h to see which priorities are used by the OS.

Returns:

OS_NO_ERR (0) --- If successful

OS_PRIO_EXIST (40) --- If the requested priority already exists

See Also:

OSTaskDelete --- Delete a task

OSChangePrio --- Change a task's priority

OSSimpleTaskCreate --- A macro that sets up the stack and starts the task at the proper priority

Example:

```
// Make sure they're 4 byte aligned to keep the Coldfire happy
asm( " .align 4 " );

DWORD MyTaskStk[USER_TASK_STK_SIZE] __attribute__( ( aligned( 4 ) ) );

// The function the new task will start in. pdata will have the value
// of my_data as provided in the OSTaskCreate Call
void mytask(void * pdata)
{
}

if (OSTaskCreate(mytask,
                (void*)my_data,
                (void*)&MyTaskStk[USER_TASK_STK_SIZE],
                (void *)MyTaskStk, MyPrio
                )!=OS_NO_ERR)
    { // Handle error
    }
```

2.2. OSSimpleTaskCreate (MACRO)

Synopsis:

```
OSSimpleTaskCreate( function, priority );
```

Description:

This Macro sets up the stack and starts the task at the proper priority. For example, if I want to start a task called "my_task", I would use the OSSimpleTaskCreate macro as follows:

```
void my_task( void *)
{
    The my_task function
}
OSSimpleTaskCreate( my_task, MAIN_PRIO-1 );
```

Parameters:

Type	Description
function	The address of the function where this task will start executing.
priority	The priority for this new task (63 is lowest priority, 1 is highest). Look in C:\Nburn\include\constants.h to see which priorities are used by the OS. For non-network platforms (e.g. Mod5213) , look in C:\Nburn\include_nn\constants.h to see which priorities are used by the OS.

See Also:

OSTaskCreate --- Create a new task
 OSTaskDelete --- Delete a task
 OSChangePrio --- Change a task's priority

2.3. OSTaskDelete

Synopsis:

```
void OSTaskDelete( void );
```

Description:

This function deletes the current calling task.

Parameters:

None

Returns:

Nothing --- This is a void function

See Also:

OSTaskCreate --- Create a new task

OSSimpleTaskCreate --- A macro that sets up the stack and starts the task at the proper priority

OSChangePrio --- Change a task's priority

2.4. OSChangePrio

Synopsis:

```
BYTE OSChangePrio( BYTE newpriority );
```

Description:

This function changes the priority of the calling task. Note: The uC/OS can only have one task at each priority level. Remember: "newpriority" is the new priority for this task. **Note:** 63 is the lowest priority level and 1 is highest priority level. The default priority values are listed below.

System priorities are defined in `C:\Nburn\include\constants.h` for all **network** platforms and in `C:\Nburn\include_nn\constants.h` for all **non-network (e.g. Mod5213)** platforms.

```
#define MAIN_PRIO (50)
#define HTTP_PRIO (45)
#define PPP_PRIO (44)
#define TCP_PRIO (40)
#define IP_PRIO (39)
#define ETHER_SEND_PRIO (38)
```

Parameter:

Type	Name	Description
BYTE	newpriority	The new priority of the calling task.

Returns:

OS_NO_ERR (0) --- If successful
 OS_PRIO_EXIST (40) --- If the requested priority already exists

See Also:

OSTaskCreate --- Create a new task
 OSTaskDelete --- Delete a task
 OSSimpleTaskCreate --- A macro that sets up the stack and starts the task at the proper priority

2.5. OSTimeDly

Synopsis:

```
void OSTimeDly( WORD ticks );
```

Description:

This function delays this task for "ticks" ticks of the system timer. Remember: The number of ticks per second is defined by the constant TICKS_PER_SECOND.

Parameter:

Type	Name	Description
WORD	ticks	The number of ticks per second

Returns:

Nothing --- This is a void function

See Also:

OSChangeTaskDly --- Change the interval for a waiting task

Example:

```
OSTimeDly( 5*TICKS_PER_SECOND ); // Delay for 5 seconds
```

2.6. OSChangeTaskDly

Synopsis:

```
void OSChangeTaskDly( WORD task_prio, WORD newticks );
```

Description:

This function allows the User to modify the timeout delay for a task that is waiting.

Warning: Use of this function is discouraged.

Parameters:

Type	Name	Description
WORD	task_prio	The task's priority.
WORD	newticks	The new number of ticks per second.

Returns:

Nothing --- This is a void function

See Also:

OSTimeDly --- Delay or Sleep for a fixed interval
OSSemPend --- Pend on a semaphore
OSMboxPend --- Pend on a mailbox
OSQPend --- Pend on a queue
OSFifoPend --- Pend on a fifo

2.7. OSLock

Synopsis:

```
void OSLock( void );
```

Description:

Calling the OSLock function will prevent the OS from changing tasks. This is used to protect critical variables that must be accessed one task at a time. Use the OSUnlock function to release your lock. **Important:** You **must** call OSUnlock once **for each** call to OSLock.

Warning: Do not keep a task locked for long period of time, or the performance of the network subsystem will degrade, and eventually loose packets.

Parameters:

None

Returns:

Nothing --- This is a void function

See Also:

OSUnlock --- Unlocks the OS

OSLockObj --- A C++ class to make task locking easy

2.8. OSUnlock

Synopsis:

```
void OSUnlock( void );
```

Description:

This function unlocks the OS. **Important:** You **must** call OSUnlock once **for each** call to OSLock.

Parameters:

None

Returns:

Nothing --- This is a void function

See Also:

OSLock --- Locks the OS and prevent task switches
OSLockObj --- A C++ class to make task locking easy

2.9. OSLockObj

Synopsis:

```
class OSLockObj
{
    public:
    OSLockObj();
    ~OSLockObj();
};
```

Description:

A simple C++ wrapper class that helps use OS locks effectively. When an OSLockObj is constructed it locks the OS. When it is destructed it unlocks the OS. If you have a function that needs an OS lock and has multiple points of exit, create an OSLockObj at the beginning of the function. **Important:** No matter how you leave the function, the destructor **will** release the lock.

Example:

```
int foo()
{
    // The destructor will unlock the OS when lock goes out of scope
    OSLockObj lock;
    ...
    if () return 1;
    ...
    if () return 3;
    ...
    ...
    if () return 0;
}
```

See Also:

OSLock --- Locks the OS and prevents task switches
OSUnlock --- Unlocks the OS

2.10. OSSemInit

Synopsis:

```
BYTE OSSemInit( OS_SEM * psem, long value );
```

Description:

Semaphores are used to control access to shared resource, or to communicate between tasks. This function is used to initialize a semaphore structure. **Note:** This **must** be done **before** using a semaphore.

Parameters:

Type	Name	Description
OS_SEM	*psem	A pointer to the OS_SEM structure to initialize.
long	value	The initial count value for the semaphore.

Returns:

OS_NO_ERR (0) --- If successful
 OS_SEM_ERR (50) --- If value is < 0 (zero), it cannot initialize

Example:

```
OS_SEM MySemaphore;
.
.
OSSemInit(& MySemaphore,0);
.
.
// In a different task/function...
OSSemPost(& MySemaphore); // Add one to the semaphores value
.
.
// In a yet another different task/function...
// Wait 5 seconds or until the semaphore has a positive value
// Decrement the semaphore if we don't timeout...
if (OSSemPend(& MySemaphore, 5*TICKS_PER_SECOND)==OS_TIMEOUT){// We
timed out the 5 seconds}else {// We got the semaphore}
```

See Also:

OSSemPost --- Post to a semaphore
 OSSemPend --- Pend on a semaphore

2.11. OSSemPost

Synopsis:

```
BYTE OSSemPost( OS_SEM * psem );
```

Description:

This function increases the value of the semaphore by one. **Note:** If any **higher** priority tasks were **waiting** on the semaphore - it **releases** them.

Parameter:

Type	Name	Description
OS_SEM	*psem	A pointer to the OS_SEM structure to initialize.

Returns:

OS_NO_ERR (0) --- If successful
OS_SEM_OVF (51) --- If the value of the semaphore overflows

See Also:

OSSemInit --- Initialize an OS_SEM structure
OSSemPend --- Pend on a semaphore

2.12. OSSemPend

Synopsis:

```
BYTE OSSemPend( OS_SEM * psem, WORD timeout );
```

Description:

Wait timeout ticks for the value of the semaphore to be non zero. **Note:** A timeout value of 0 (zero) waits forever.

Parameters:

Type	Name	Description
OS_SEM	*psem	A pointer to an OS_SEM structure.
WORD	timeout	The number of time ticks to wait.

Returns:

OS_NO_ERR (0) --- If successful

OS_TIMEOUT (10) --- If the function timed out or if the NoWait function failed

See Also:

OSSemInit --- Initialize an OS_SEM structure

OSSemPendNoWait --- Does not wait for the value of the semaphore to be non zero

OSSemPost --- Post to a semaphore

2.13. OSSemPendNoWait

Synopsis:

```
BYTE OSSemPendNoWait( OS_SEM * psem );
```

Description:

OSSemPendNoWait is identical to the OSSemPend function, but it does **not** wait.

Parameter:

Type	Name	Description
OS_SEM	*psem	A pointer to the OS_SEM structure.

Returns:

OS_NO_ERR (0) --- If successful
OS_TIMEOUT (10) --- If it fails

See Also:

OSSemInit --- Initialize an OS_SEM structure
OSSemPend --- Pend on a semaphore
OSSemPost --- Post to a semaphore

2.14. OSMboxInit

Synopsis:

```
BYTE OSMboxInit( OS_MBOX * pmbbox, void * msg );
```

Description:

Mailboxes are used to communicate between tasks. This function is used to initialize an OS_MBOX structure. **Note:** This **must** be done **before** using the mailbox.

Parameters:

Type	Name	Description
OS_MBOX	*pmbbox	A pointer to the OS_MBOX structure to initialize.
void	*msg	The initial mail box message (NULL) for none.

Returns:

OS_NO_ERR (0) --- If successful

Example:

```
OS_MBOX MyMailBox;
OSMboxInit(& MyMailBox,0);
// In a different task/function...
// Put a message in the Mailbox.
OSMboxPost(& MyMailBox, (void *)somevalue);
// In a yet another different task/function...
// Wait 5 seconds or until the mailbox has a message
BYTE err;
void * pData=OSMboxPend(& MyMailBox, 5*TICKS_PER_SECOND,&err);
if (pData==NULL)
{ // We timed out the 5 seconds
}
else
{ // We got the message
}
```

See Also:

OSMboxPend --- Pend on a mailbox

OSMboxPost --- Post to a mailbox

OSSemPendNoWait --- Does not wait for the value of the semaphore to be non zero

2.15. OSMboxPost

Synopsis:

```
BYTE OSMboxPost( OS_MBOX * pmbbox, void * msg );
```

Description:

This function posts a message to a Mail box.

Parameters:

Type	Name	Description
OS_MBOX	*pmbbox	A pointer to an OS_MBOX structure.
void	*msg	The message to post.

Returns:

OS_NO_ERR (0) --- If successful
OS_MBOX_FULL (20) --- If the mailbox is full

See Also:

OSMboxInit --- Initialize an OS_MBOX structure
OSMboxPend --- Pend on a Mailbox
OSSemPendNoWait --- Does not wait for the value of the semaphore to be non zero

2.16. OSMboxPend

Synopsis:

```
void * OSMboxPend( OS_MBOX * pmbox, WORD timeout, BYTE * err );
```

Description:

Wait timeout ticks for some other task to post to the Mailbox. **Note:** OSMboxPend **will** wait forever if 0 (zero) is **specified**.

Parameters:

Type	Name	Description
OS_MBOX	*pmbox	A pointer to an OS_MBOX structure.
WORD	timeout	The number of time ticks to wait.
Byte	*err	A variable to receive the result code.

Returns:

The posted message
 NULL --- If the function timed out

Note: err can have either OS_NO_ERR or OS_TIMEOUT return codes.

See Also:

OSMboxInit --- Initialize an OS_MBOX structure
 OSMboxPendNoWait --- Does not wait for some other task to post to the Mailbox
 OSMboxPost --- Post to a Mailbox

2.17. OSMboxPendNoWait

Synopsis:

```
void * OSMboxPendNoWait( OS_MBOX * pmbbox, BYTE * err );
```

Description:

OSMboxPendNoWait is identical to the OSMboxPend function, but it does **not** wait.

Parameters:

Type	Name	Description
OS_MBOX	*pmbbox	A pointer to an OS_MBOX structure.
Byte	*err	A variable to receive the result code.

Returns:

The posted message
NULL --- If it fails

Note: err can have either OS_NO_ERR or OS_TIMEOUT return codes.

See Also:

OSMboxPend --- Pend on a Mailbox
OSMboxPendNoWait --- Does not wait for some other task to post to the Mailbox
OSMboxPost --- Post to a Mailbox

2.18. OSQInit

Synopsis:

```
BYTE OSQInit( OS_Q * pq, void * * start, BYTE siz );
```

Description:

A queue functions as a fixed size FIFO for communication between tasks. This function initializes an OS_Q structure.

Parameters:

Type	Name	Description
OS_Q	*pq	A pointer to an OS_Q structure.
void	**start	A pointer to an array of (void *) pointers to hold queue messages.
BYTE	siz	The number of pointers in the Q data storage area.

Returns:

OS_NO_ERR (0) --- If successful

Example:

```
OS_Q MyQueue;
void * MyQueueStorage[NUM_ELEMENTS];
OSQInit(& MyQueue, MyQueueStorage, NUM_ELEMENTS);
// In a different task/function...
// Put a message in the Queue
OSQPost(& MyQueue, (void *)somevalue);
// In a yet another different task/function...
// Wait 5 seconds or until the queue has a message.
BYTE err;
void * pData=OSQPend(& MyQueue, 5*TICKS_PER_SECOND, &err);
if (pData==NULL)
{ // We timed out the 5 seconds
}
else
{ // We got the message
}
```

See Also:

OSQPost --- Post to a Queue

OSQPend --- Pend on a Queue

OSQPendNoWait --- Does not wait for another task to post to the queue

2.19. OSQPost

Synopsis:

```
BYTE OSQPost( OS_Q * pq, void * msg );
```

Description:

This function posts a message to a Queue. **Note:** Any **higher** priority task **waiting** on this queue **will** be started.

Parameters:

Type	Name	Description
OS_Q	*pq	A pointer to an OS_Q structure.
void	*msg	The message to be posted to the queue.

Returns:

OS_NO_ERR (0) --- If successful

OS_Q_FULL (30) --- If the queue is full and has no more room

See Also:

OSQInit --- Initialize an OS_QUEUE structure

OSQPend --- Pend on a Queue

OSQPendNoWait --- Does not wait for another task to post to the queue

2.20. OSQPend

Synopsis:

```
void * OSQPend( OS_Q * pq, WORD timeout, BYTE * err );
```

Description:

Wait timeout ticks for another task to post to the queue. **Note:** A timeout value of 0 (zero) waits forever. An err **holds** the error code if the function **fails**.

Parameters:

Type	Name	Description
OS_Q	*pq	A pointer to an OS_Q structure.
WORD	timeout	The number of time ticks to wait.
BYTE	*err	A variable to receive the result code.

Returns:

The posted message
 NULL --- If the function failed

Note: err can have OS_NO_ERROR or OS_TIMEOUT return codes

See Also:

OSQInit --- Initialize an OS_QUEUE structure
 OSQPendNoWait --- Does not wait for another task to post to the queue
 OSQPost --- Post to a Queue

2.21. OSQPendNoWait

Synopsis:

```
void * OSQPendNoWait( OS_Q * pq, BYTE * err );
```

Description:

OSQPendNoWait is identical to the OSQPend function but it does **not** wait.

Parameters:

Type	Name	Description
OS_Q	*pq	A pointer to an OS_Q structure.
BYTE	*err	A variable to receive the result code.

Returns:

The posted message

NULL --- If the function failed

Note: err can have OS_NO_ERROR or OS_TIMEOUT return codes

See Also:

OSQPend --- Pend on a Queue

OSQInit --- Initialize an OS_QUEUE structure

OSQPost --- Post to a Queue

2.22. OSFifoInit

Synopsis:

```
BYTE OSFifoInit( OS_FIFO * pFifo );
```

Description:

A FIFO is used to pass structures from one task to another. **Note:** The structure to be passed **must** have an **unused** (void *) pointer as its **first** element. This precludes passing C++ objects with virtual member functions.

Parameter:

Type	Name	Description
OS_FIFO	*pFifo	A pointer to an OS_FIFO structure.

Returns:

OS_NO_ERR (0) --- If successful

See Also:

OSFifoPost --- Post to a fifo
 OSFifoPostFirst --- Post to the head of a fifo
 OSFifoPend --- Pend on a fifo
 OSFifoPendNoWait --- Pend on a fifo without waiting

Example:

```
OS_FIFO MyFifo;
typedef struct
{void * pUsedByFifo; // Don't modify this value, and keep it first
// The other elements in my structure
}MyStructure;
OSFifoInit(& MyFifo);
// In a different task/function...
MyStructure mydata;
// Put a message in the Fifo
OSFifoPost(& MyFifo, (OS_FIFO_EL *)&mydata);
// In yet another different task/function...
// Wait 5 seconds or until the Fifo has a object
BYTE err;
MyStructure * pData= (MyStructure *)OSFifoPend(& MyQueue,
5*TICKS_PER_SECOND);
if (pData==NULL)
{// we timed out the 5 seconds}
else
```

```
{// We got the object  
}
```

2.23. OSFifoPost

Synopsis:

```
BYTE OSFifoPost( OS_FIFO * pFifo, OS_FIFO_EL * pToPost );
```

Description:

This function posts to a FIFO. **Note:** See the description of FIFOs in OSFifoInit for details on how to use this function.

Parameters:

Type	Name	Description
OS_FIFO	*pFifo	A pointer to an OS_FIFO structure.
OS_FIFO_EL	*pToPost	A pointer to the user's structure cast as an OS_FIFO_EL to be posted to the Fifo.

Returns:

OS_NO_ERR (0) --- If successful

See Also:

OSFifoInit --- Initialize an os_fifo structure
 OSFifoPostFirst --- Post to the head of a fifo
 OSFifoPend --- Pend on a fifo
 OSFifoPendNoWait --- Pend on a fifo without waiting

2.24. OSFifoPostFirst

Synopsis:

```
BYTE OSFifoPostFirst( OS_FIFO * pFifo, OS_FIFO_EL * pToPost );
```

Description:

This function is identical to OSFifoPost (post to a FIFO), **but** the element posted is put on the beginning of the FIFO list. So, the task that pends next will get the structure/object posted here, instead of any prior objects posted to the FIFO. **Note:** See the description of FIFOs in **OSFifoInit** for details on how to use this function.

Parameters:

Type	Name	Description
OS_FIFO	*pFifo	A pointer to an OS_FIFO structure.
OS_FIFO_EL	*pToPost	A pointer to the user's structure cast as an OS_FIFO_EL to be posted to the Fifo.

Returns:

OS_NO_ERR (0) --- If successful

See Also:

OSFifoInit --- Initialize an os_fifo structure
 OSFifoPost --- Post to a fifo
 OSFifoPend --- Pend on a fifo
 OSFifoPendNoWait --- Pend on a fifo without waiting

2.25. OSFifoPend

Synopsis:

```
OS_FIFO_EL * OSFifoPend( OS_FIFO * pFifo, WORD timeout );
```

Description:

This function pends on a FIFO. **Note:** See the description of FIFOs in **OSFifoInit** for details on how to use this function.

Parameters:

Type	Name	Description
OS_FIFO	*pFifo	A pointer to an OS_FIFO structure.
WORD	timeout	The number of ticks to wait on the Fifo.

Returns:

A pointer to the posted structure
NULL --- If the function timed out

See Also:

OSFifoInit --- Initialize an os_fifo structure
OSFifoPost --- Post to a fifo
OSFifoPostFirst --- Post to the head of a fifo
OSFifoPendNoWait --- Pend on a fifo without waiting

2.26. OSFifoPendNoWait

Synopsis:

```
OS_FIFO_EL * OSFifoPendNoWait( OS_FIFO * pFifo );
```

Description:

This function is identical to the OSFifoPen function, but it does **not** wait.

Parameter:

Type	Name	Description
OS_FIFO	*pFifo	A pointer to an OS_FIFO structure.

Returns:

A pointer to the posted structure
NULL --- If there was nothing in the fifo

See Also:

OSFifoInit --- Initialize an os_fifo structure
OSFifoPost --- Post to a fifo
OSFifoPostFirst --- Post to the head of a fifo
OSFifoPend --- Pend on a fifo

2.27. OSCritInit

Synopsis:

```
BYTE OSCritInit( OS_CRIT * pCrit );
```

Description:

This function initializes the critical section. **Important:** You **must** call OSCritInit **before** using the critical section. **Note:** This function **should** be part of the initialization process.

Parameter:

Type	Name	Description
OS_CRIT	*pCrit	A pointer to the critical section.

Returns:

OS_NO_ERR --- If successful

See Also:

OSCritEnter --- Tries to enters or claim the critical section

OSCritEnterNoWait --- Tries to enter or claim the critical section without waiting

OSCritLeave --- Releases the critical section

2.28. OSCritEnter

Synopsis:

```
BYTE OSCritEnter( OS_CRIT * pCrit, WORD timeout );
```

Description:

This function tries to enter or claim the critical section. **Important:** You **must** call OSCritLeave **once** for each **successful** OSCritEnter call to **release** the critical section so that another task can manipulate it.

Parameters:

Type	Name	Description
OS_Crit	*pCrit	A pointer to the critical section we want to enter/claim.
WORD	timeout	How many time ticks do we want to wait for this critical section? Note: A timeout of 0 (zero) waits forever.

Returns:

OS_NO_ERR --- If we were successful in claiming the critical section or if our task owns it
 OS_TIMEOUT ---- If we were unable to claim the section

See Also:

OSCritInit --- Initializes the critical section
 OSCritEnterNoWait --- Tries to enter or claim the critical section without waiting
 OSCritLeave --- Releases the critical section

2.29. OSCritEnterNoWait

Synopsis:

```
BYTE OSCritEnterNoWait( OS_CRIT * pCrit );
```

Description:

This function tries to enter or claim the critical section. However, this function does **not** wait if it is **unable** to enter or claim the critical section. **Important:** You **must** call OSCritLeave **once** for each **successful** OSCritEnterNoWait call to **release** the critical section so another task can manipulate it.

Parameter:

Type	Name	Description
OS_CRIT	*pCrit	A pointer to the critical section we want to enter/claim.

Returns:

OS_NO_ERR --- If we were successful in claiming the critical section, or if our task owns it
OS_TIMEOUT --- If we were unable to claim the section

See Also:

OSCritInit --- Initializes the critical section
OSCritEnter --- Tries to enters or claim the critical section
OSCritLeave --- Releases the critical section

2.30. OSCritLeave

Synopsis:

```
BYTE OSCritLeave( OS_CRIT * pCrit );
```

Description:

This function releases the critical section. **Important:** This function **must** be called **once** for each **successful** OSCritEnter or OSCritEnterNoWait call to **release** the critical section so another task can manipulate it.

Parameter:

Type	Name	Description
OS_CRIT	*pCrit	A pointer to the critical section we want to leave/release.

Returns:

OS_NO_ERR --- If we were successful in releasing the critical section
OS_CRIT_ERR --- If we are trying to release a critical section that we do not own

See Also:

OSCritInit --- Initializes the critical section

OSCritEnter --- Tries to enter or claim the critical section

OSCritEnterNoWait --- Tries to enter or claim the critical section without waiting

2.31. Examples

2.31.1. Example # 1

When I want to insert something at the beginning of a doubly linked list:

```
typedef MyObject
{
    MyObject * pNext;
    MyObject * pPrev;
    *
    *
    *
};

MyObject* pHead;
void InsertAtHead(MyObject * newObject)
{
    /* Step 1 */
    newObject->pNext=pHead;
    /* Step 2 */
    newObject->pPrev=NULL;
    /* Step 3*/
    pHead->pPrev=newObject;
    /* Step 4 */
    pHead=newObject;
}
```

Suppose another higher priority task interrupts us (between steps 3 and 4) and inserts its own element at the head of the list. The list would **not** be correct, because pHead is reset to the object we are inserting in the task that was interrupted.

To **prevent** this type of error from happening, you should **use** an OS_CRIT counted critical section. This will **not** lock or otherwise restrict the RTOS **unless** another task wants to claim the same critical section. The OS_CRIT object should be declared globally or as part of the structure/object you want to protect. Therefore, in the previous example, we would change the code to:

```
MyObject* pHead;
OS_CRIT MyListCritical;
void InsertAtHead(MyObject * newObject)
{
    OSCritEnter(&MyListCritical,0);
    /* Step 1 */
    newObject->pNext=pHead;
    /* Step 2 */
    newObject->pPrev=NULL;
    /* Step 3*/
    pHead->pPrev=newObject;
    /* Step 4 */
    pHead=newObject;
    OSCritLeave(&MyListCritical);
}
```

Now, if a higher priority task tries to interrupt us between steps 3 and 4, the higher priority task will interrupt and call our InsertAtHeadFunction. But, as soon as it gets to the OSCritEnter call, it will be stopped.

The higher priority task will discover that the MyListCritical object is already claimed/occupied by a lower priority task, so it will block and allow the lower priority tasks to run. This should allow our interrupted task to continue to the point where it leaves the critical section. When this happens, the critical section becomes available, and the higher priority task will run.

2.31.2. Example # 2

Suppose we have an instrument like a GPS (or a DVM) connected to one of our serial ports. This instrument answers questions. The questions may come from a logging task, a web page request, a Telnet session, etc. The problem arises when a low priority task (e.g. logging) asks "Where are we?" and before the GPS answers, the higher priority task (e.g. Telnet) asks "What time is it"?

Example pseudo code:

```

Logging task...
/*1 */
Send(fdserial,"Where are we?");
/*2 */
WaitForResponsePacket(fdserial, buffer);
/*3*/
SavePosition(buffer);
Telnet task
/*1 */
Send(fdserial,"What time is it?");
/*2 */
WaitForResponsePacket(fdserial, buffer);
/*3*/
SendReply toRequestor(buffer);

```

The logging task does step 1, it sends "Where are we?" The telnet task interrupts, and sends "What time is it?" The GPS answers the first question - "Where are we?" Because the Telnet task is a higher priority, it receives this ("Where are we?") response. Then the logging task wakes up and gets the next response - to the second question ("What time is it?"). Now we have logged the time to the where, and the where to the time request.

Note: Adding an OSCritEnter function **before** step 1 in **both** tasks, **and** an OSCritLeave function **after** step 2 in each task **will** solve this problem.

2.32. OSIntEnter

Synopsis:

```
void OSIntEnter( void );
```

Description:

This function **must** be called in **any** user interrupt routine, **before** any RTOS functions are called. It **must** be followed by a call to OSIntExit. **Important:** OSIntEnter is taken care of in the **INTERRUPT Macro** for **all** NetBurner Platforms. Please read the Chapter on Interrupts in your **NetBurner Runtime Libraries User's Manual** for additional information. By default, this manual is found in **C:\Nburn\docs**.

Parameters:

None

Returns:

Nothing --- This is a void function

See Also:

OSIntExit --- Must be called when a user interrupt is exited

2.33. OSIntExit

Synopsis:

```
void OSIntExit( void );
```

Description:

This function **must** be called when a user interrupt is exited. **Important:** OSIntExit is taken care of in the **INTERRUPT Macro** for **all** NetBurner Platforms. Please read the Chapter on Interrupts in your **NetBurner Runtime Libraries User's Manual** for additional information. By default, this manual is found in **C:\Nburn\docs**.

Parameters:

None

Returns:

Nothing ---This is a void function

See Also:

OSIntExit --- Must be called when a user interrupt is exited

2.34. USER_ENTER_CRITICAL

Synopsis:

```
void USER_ENTER_CRITICAL( );
```

Description:

This function sets a **level 7 interrupt** mask **when entered**, allowing the user to have **full** processor time. This function **will** also **disable** all uCOS functionality and **block** all hardware interrupts. **Important:** You **must** call USER_EXIT_CRITICAL **once** for **each** USER_ENTER_CRITICAL call to **release** the critical section.

Parameters:

None

Returns:

Nothing --- This is a void function

See Also:

USER_EXIT_CRITICAL --- Sets the interrupt mask to the value before critical section was entered

2.35. USER_EXIT_CRITICAL

Synopsis:

```
void USER_EXIT_CRITICAL( );
```

Description:

This function sets the interrupt mask to the value **before** the critical section was entered.

Important: You **must** call USER_EXIT_CRITICAL **once** for **each** USER_ENTER_CRITICAL call to **release** the critical section.

Parameters:

None

Returns:

Nothing ---This is a void function

See Also:

USER_ENTER_CRITICAL --- Sets a level 7 interrupt mask when entered

2.36. OSDumpTCBStacks

Synopsis:

```
void OSDumpTCBStacks( void );
```

Description:

This function dumps information about the UCOS stacks and tasks to Stdout. This function is useful for debugging. **Note:** This function is only **valid** when **UCOS_STACKCHECK** is **defined**.

Parameters:

None

Returns:

Nothing ---This is a void function

Example:

Prio	Stack Ptr	Stack Bottom	Free Now	Min. Free
63	0x20432d4	0x2042f20	237	237
50	0x20451cc	0x2043320	1963	1827
40	0x2028250	0x20262cc	2017	2017
39	0x2020f2c	0x201efcc	2008	2008
38	0x2022f54	0x2020fde	2013	2013
45	0x2024f2c	0x2023020	1987	1987

See Also:

OSDumpTasks --- Dump all of the task info to stdout

2.37. OSDumpTasks

Synopsis:

```
void OSDumpTasks( void );
```

Description:

This function dumps the state and call stack for every task to stdout. This function is useful for debugging. **Note:** This function is only **valid** when **UCOS_STACKCHECK** is **defined**.

Parameters:

None

Returns:

Nothing --- This is a void function

Example:

Prio	State	Ticks	Call Stack
63	Ready	Forever	At: 02006598
50	Running	-----	02006860->0200a7bc-><END>
40	Timer	63531	-----
39	Fifo	10	02007c98->020046ae-><END>
38	Fifo	Forever	02007c98->02005d54-><END>
45	Semaphore	Forever	02006f16->02009880->0200885a-><END>

See Also:

OSDumpTCBStacks --- Dump all of the task stack information to stdout

2.38. OSFlagCreate

Synopsis:

```
void OSFlagCreate( OS_FLAGS *pf )
```

Description:

This function initializes an OS_FLAGS object that has already been declared. **This function must be called before you can use an OS_FLAGS object.**

Parameter:

Type	Name	Description
OS_FLAGS	*pf	A pointer to the location of the object to be initialized.

Returns:

Nothing --- This is a void function.

Example:

```
OS_FLAGS test_flag;           // Declare an OS_FLAGS object  
OSFlagCreate( &test_flag );  // Initialize the object
```

2.39. OSFlagSet

Synopsis:

```
void OSFlagSet( OS_FLAGS *flags, DWORD bits_to_set )
```

Description:

This function sets the corresponding bits asserted in `bits_to_set` of an `OS_FLAGS` object pointed to by `*flags`.

Parameters:

Type	Name	Description
OS_FLAGS	*flags	A pointer to the OS_FLAGS object to be configured.
DWORD	bits_to_set	A bit or set of bits to be set.

Returns:

Nothing --- This is a void function.

Example:

```
OSFlagSet( &test_flag, 0x000000F0 ); // Set bits 4-7 of OS_FLAG  
// object "test_flag"
```

2.40. OSFlagState

Synopsis:

```
DWORD OSFlagState( OS_FLAGS *flags )
```

Description:

This function returns the current values of the flags stored in the OS_FLAGS object structure.

Parameter:

Type	Name	Description
OS_FLAGS	*flags	A pointer to the OS_FLAGS object whose flag states are to be returned.

Returns:

The flag states of the OS_FLAGS object.

Example:

```
DWORD uint32_flags = OSFlagState( &test_flag );  
  
if ( uint32_flags & 0x00000080 )  
{  
    iprintf( "Flag bit 7 is set.\r\n" );  
}  
else  
{  
    iprintf( "Flag bit 7 is clear.\r\n" );  
}
```

2.41. OSFlagClear

Synopsis:

```
void OSFlagClear( OS_FLAGS *flags, DWORD bits_to_clr )
```

Description:

This function clears the bits asserted in `bits_to_clr` of an `OS_FLAGS` object pointed to by `*flags`.

Parameters:

Type	Name	Description
OS_FLAGS	*flags	A pointer to the OS_FLAGS object to be configured.
DWORD	bits_to_clr	A bit or set of bits to be cleared.

Returns:

Nothing --- This is a void function.

Example:

```
OSFlagClear( &test_flag, 0x000000F0 ); // Clear bits 4-7 of OS_FLAG  
// object "test_flag"
```

2.42. OSFlagPendAll

Synopsis:

```
BYTE OSFlagPendAll( OS_FLAGS *flags, DWORD bit_mask, WORD timeout )
```

Description:

This function waits a number of time ticks specified by `timeout` until all the flags indicated by `bit_mask` are set.

Parameters:

Type	Name	Description
OS_FLAGS	*flags	A pointer to the OS_FLAGS object with the desired flag bits.
DWORD	bit_mask	A bit or set of bits to wait on.
WORD	timeout	Number of time ticks to wait on all specified flag bits to be set.

Returns:

OS_NO_ERR (0) --- All the flags indicated by `bit_mask` are set before `timeout` expires.
 OS_TIMEOUT (10) --- `timeout` expired.

Example:

```
if ( OSFlagPendAll ( &test_flag, 0x10001000, 20 ) != OS_NO_ERR )
{
    iprintf( "Flag bits 15 and 31 were not set after 20 ticks.\r\n" );
}
else
{
    iprintf( "Both flag bits are set.\r\n" );
}
```

2.43. OSFlagPendAllNoWait

Synopsis:

```
BYTE OSFlagPendAllNoWait( OS_FLAGS *flags, DWORD bit_mask )
```

Description:

This function immediately checks to see if all the flag bits indicated by `bit_mask` are set; it does not wait.

Parameters:

Type	Name	Description
OS_FLAGS	*flags	A pointer to the OS_FLAGS object with the desired flag bits.
DWORD	bit_mask	A bit or set of bits to check on.

Returns:

OS_NO_ERR (0) --- All flags indicated by `bit_mask` are set.

OS_TIMEOUT (10) --- None or not all of the flags indicated by `bit_mask` are set.

Example:

```
if ( OSFlagPendAllNoWait( &test_flag, 0xFFFFFFFF ) != OS_NO_ERR )
{
    iprintf( "Not all of the flag bits are set.\r\n" );
}
else
{
    iprintf( "All 32 of the flag bits are set.\r\n" );
}
```

2.44. OSFlagPendAny

Synopsis:

```
BYTE OSFlagPendAny( OS_FLAGS *flags, DWORD bit_mask, WORD timeout )
```

Description:

This function waits a number of time ticks specified by `timeout` until any of the flags indicated by `bit_mask` are set.

Parameters:

Type	Name	Description
OS_FLAGS	*flags	A pointer to the OS_FLAGS object with the desired flag bits.
DWORD	bit_mask	A bit or set of bits to wait on.
WORD	timeout	Number of time ticks to wait on any specified flag bits to be set.

Returns:

OS_NO_ERR (0) --- At least one of the flag bits are set before `timeout` expires.

OS_TIMEOUT (10) --- None of the flag bits are set before `timeout` expires.

Example:

```
if ( OSFlagPendAny( &test_flag, 0xFFFFFFFF, 20 ) != OS_NO_ERR )
{
    iprintf( "None of the flag bits are set before time expired.\r\n" );
}
else
{
    iprintf( "At least one of the 32 desired flag bits are set.\r\n" );
}
```

2.45. OSFlagPendAnyNoWait

Synopsis:

```
BYTE OSFlagPendAnyNoWait( OS_FLAGS *flags, DWORD bit_mask )
```

Description:

This function immediately checks to see if any of the flag bits indicated by `bit_mask` are set; it does not wait.

Parameters:

Type	Name	Description
OS_FLAGS	*flags	A pointer to the OS_FLAGS object with the desired flag bits.
DWORD	bit_mask	A bit or set of bits to check on.

Returns:

OS_NO_ERR (0) --- At least one of the flags indicated by `bit_mask` are set.

OS_TIMEOUT (10) --- None of the flags indicated by `bit_mask` are set.

Example:

```
if ( OSFlagPendAnyNoWait( &test_flag, 0x80010402 ) != OS_NO_ERR )
{
    iprintf( "Bits 1, 10, 16 and 31 are not set.\r\n" );
}
else
{
    iprintf( "At least one of the designated bits are set.\r\n" );
}
```